



# Patons


KNITTING BOOK  
NO. 338

P&B  
WOOLS

"ROBB"—See page 12

1/6<sup>d.</sup>





# Jock

IN TWO SIZES—WITH POLO OR ROUND  
NECK—WITH OR WITHOUT SLEEVES

## PATONS TOTEM KNITTING WOOL

To fit A—38-39, B—40-41 inch  
chest.

### Polo Neck—

With Sleeves—Size A—24 ozs.

Size B—24 ozs.

Without Sleeves—Size A—14 ozs.

Size B—16 ozs.

### Round Neck—

With Sleeves—Size A—23 ozs.

Size B—23 ozs.

Without Sleeves—Size A—13 ozs.

Size B—15 ozs.

Length from top of shoulder—Both  
Sizes, 23 ins.

Length of sleeve from underarm—  
Both Sizes, 20 ins. (or length de-  
sired).

Knitting Needles, 1 pair each Nos. 7,  
10 and 11, 1 set of four No. 11,  
measured on a Beehive Needle  
Gauge.

Cable Needle. Two Stitch Holders.

ABBREVIATIONS.—See page 17.

Twist 2 = Knit into front of 2nd  
st. on left-hand needle, then knit  
into front of 1st st., slip both sts.  
off needle together. Cable 5 =  
Slip next 5 sts. on to a cable  
needle, leave at front of work, K.5,  
then knit sts. from cable needle.

**TENSION.**—To get these measurements it is absolutely  
necessary to work at a tension to produce 11½ sts.  
to 2 inches in width on No. 7 Needles.

Instructions are for smaller size A. Larger size is  
shown thus [B—.....].

**THE FRONT.**—Using No. 10 Needles, cast on 120  
[B—126] stitches.

Stop! Have you checked your tension? See page 17.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row.  
Repeat 1st row thirty-one [B—thirty-one] times.

Using No. 7 Needles, proceed as follows:—

**\*\* 1st row.**—P.1 [B—K.4], \* (P.2, K.4), twice, P.2,  
K.10, (P.2, K.4), twice, P.2, Twist 2, repeat from \* once,  
(P.2, K.4), twice, P.2, K.10, (P.2, K.4), twice, P.3  
[B—P.2, K.4].

**2nd row.**—K.1 [B—P.4], \* (K.2, P.4), twice, K.2, P.10,  
(K.2, P.4), twice, K.2, P.2, repeat from \* once,  
(K.2, P.4), twice, K.2, P.10, (K.2, P.4), twice, K.3  
[B—K.2, P.4]. Repeat 1st and 2nd rows twice.

**7th row.**—P.1 [B—K.4], \* (P.2, K.4), twice, P.2,  
Cable 5, (P.2, K.4), twice, P.2, Twist 2, repeat from \*  
once, (P.2, K.4), twice, P.2, Cable 5, (P.2, K.4), twice,  
P.3 [B—P.2, K.4].

**8th row.**—Like 2nd row.

Repeat 1st and 2nd rows twice. \*\*

Repeat from \*\* to \*\* five times, then from \*\* to 8th  
row once.

For Pullover without Sleeves: Repeat from \*\* to \*\* five  
times.

Cast off 7 [B—8] sts. at beg. of next 2 rows, then dec.  
once at each end of needle in next and every alt. row,  
until 96 [B—100] sts. remain.

Work 31 rows (for Pullover without Sleeves, work 39  
rows) without shaping.

In next row.—Work 37 [B—39] sts. in pattern, turn.  
Continue in pattern on these sts., dec. once at neck  
edge in every alt. row, until 30 [B—32] sts. remain.  
Work 4 rows in pattern without shaping.

Shape for shoulder as follows:—

**1st row.**—Work to last 10 [B—11] sts., turn.

**2nd row.**—Work to end of row.

**3rd row.**—Work to last 20 [B—22] sts., turn.

**4th row.**—Like 2nd row. Cast off.

Slip next 22 sts. on to a stitch holder, join in wool, and  
work on remaining sts. to correspond with other side.

**THE BACK.**—Work as given for Front, until armhole  
shapings have been completed. (96 [B—100] sts.)

Continue in pattern without shaping, until armholes  
measure same as Front armholes.

Shape for shoulders as follows:—

**1st and 2nd rows.**—Work to last 10 [B—11] sts., turn.

**3rd and 4th rows.**—Work to last 20 [B—22] sts., turn.

[Continued on page 14]



# Forbes

IN THREE SIZES—WITH OR WITHOUT SLEEVES

## PATONS BEEHIVE FINGERING, 3-ply— "PATONISED" SHRINK-RESISTANT

To fit **A—39-40, B—41-42, C—43-44**  
inch chest.

**Size A—With Sleeves—12 ozs.**  
**Without Sleeves—8 ozs.**

**Size B—With Sleeves—13 ozs.**  
**Without Sleeves—8 ozs.**

**Size C—With Sleeves—13 ozs.**  
**Without Sleeves—9 ozs.**

Knitting Needles, 1 pair each Nos. 10  
and 12, measured on a Beehive  
Needle Gauge.

Length from top of shoulder—**Size**  
**A, 24 ins. Size B, 25 ins. Size C,**  
**25 ins.**

Length of sleeve from underarm—  
**Size A, 20 ins. Size B, 20½ ins.**  
**Size C, 20½ ins.**

ABBREVIATIONS.—See page 17.

TENSION.—To get these measure-  
ments it is absolutely necessary to  
work at a tension to produce 8  
stitches to the inch in width on No.  
10 Needles.

Instructions are for smallest size A.  
Larger sizes are shown thus [B—.....],  
[C—.....].

**THE FRONT.**—Using No. 12 Needles, cast on 160  
[B—168] [C—176] stitches.

**Stop!** Have you checked your tension? See page 17.

**1st row.**—\* K.2, P.2, repeat from \* to end of row.

Repeat 1st row thirty-eight times.

In next row.—\* Work 25 [B—27] [C—28] sts. in rib,  
increase once in next st., repeat from \* to last 4 sts.,  
K.2, P.2 [B—to end of row] [C—to last 2 sts., P.2].  
(166 [B—174] [C—182] sts.)


Note: All odd rows of pattern are worked from chart.  
(See page 14.) On all even rows knit the knit sts. and  
purl the purl sts., as they are on needle. Chart shows  
one half of uneven row; to complete row work back to  
beginning.

Using No. 10 Needles, work in pattern, until top of  
chart is reached. Proceed as follows:—

**\*\* 1st row** (wrong side of work).—P.14 [B—P.1, K.2,  
P.15] [C—P.5, K.2, P.15], \* K.2, P.15, repeat from \*  
to last 16 [B—18] [C—22] sts., K.2, P.14 [B—P.15,  
K.2, P.1] [C—P.15, K.2, P.5].

**2nd row.**—K.14 [B—K.1, P.2, K.15] [C—K.5, P.2,  
K.15], \* P.2, K.15, repeat from \* to last 16 [B—18]  
[C—22] sts., P.2, K.14 [B—K.15, P.2, K.1]  
[C—K.15, P.2, K.5]. \*\*

Repeat 1st and 2nd rows, until work measures 15½  
[B—16½] [C—16½] ins. from commencement.



For Pullover without Sleeves:

Repeat 1st and 2nd rows, until work measures 14  
[B—14½] [C—14½] ins. from commencement.

Cast off 7 sts. at beg. of next 2 rows, then dec. once at  
each end of needle in next and every alternate row, four  
times. (142 [B—150] [C—158] sts.)

Work 1 row without shaping.

Commence at arrow on chart, work across to end of  
row. Work in pattern until top of chart is reached  
(chart shows one half of row), working decreasing on  
chart as shown. (132 [B—136] [C—140] sts.)

Proceed as follows:—

**1st row.**—P.14 [B—K.1, P.15] [C—P.1, K.2, P.15], \*  
K.2, P.15, repeat from \* to last 16 [B—18] [C—20]  
sts., K.2, P.14 [B—P.15, K.1] [C—P.15, K.2, P.1].

**2nd row.**—K.14 [B—P.1, K.15] [C—K.1, P.2, K.15], \*  
P.2, K.15, repeat from \* to last 16 [B—18] [C—20]  
sts., P.2, K.14 [B—K.15, P.1] [C—K.15, P.2, K.1]. \*\*\*

Work 1 row without shaping.

For Pullover without Sleeves:

Work 13 [B and C—19] rows in rib pattern.

In next row.—Work 52 [B—54] [C—56] sts. in rib  
pattern, cast off 28 sts., work in rib pattern to end of row.  
Continue on last 52 [B—54] [C—56] sts., dec. once at  
neck edge in every alt. row, eleven times. (41 [B—43]  
[C—45] sts.) Work 1 row without shaping.

[Continued on page 14





# Drummond

IN TWO SIZES  
WITH OR WITHOUT SLEEVES

**PATONS  
CATKIN FLECK YARN**

To fit **A—38-39, B—40-41** inch chest.

**With Sleeves—Size A—14 ozs. Size B—15 ozs.**

**Without Sleeves—Size A—9 ozs. Size B—10 ozs.**

Length from top of shoulder.—

**Size A—23½ ins. Size B—24 ins.**

Length of sleeve from underarm.—

**Size A—20 ins. Size B—20½ ins.**

Knitting Needles, 1 pair each Nos. 10 and 12, measured on a Beehive Needle Gauge.

**ABBREVIATIONS.**—See page 17.

**TENSION.**—To get these measurements it is absolutely necessary to work at a tension to produce 15½ stitches to 2 inches in width on No. 10 Needles.

*Instructions are for smaller size A. Larger size is shown thus [B—.....].*

**THE FRONT.**—Using No. 12 Needles, cast on 140 [B—148] stitches.

*Stop! Have you checked your tension? See page 17.*

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row thirty-eight times.

**40th row.**—\* Work 13 [B—13] sts. in rib, increase once in next st., repeat from \* to end of row [B—to last 8 sts., work 8 sts. in rib. (150 [B—158] sts.)

Using No. 10 Needles, proceed as follows:—

**1st row.**—Knit plain. **2nd row.**—Purl.

Repeat 1st and 2nd rows, until work measures 15 [B—15½] ins. from commencement. \*\*

For Pullover without Sleeves: 14 [B—14½] ins. from commencement. \*\*

Cast off 13 [B—15] sts. at beg. of next 2 rows.

In next row.—K.2 tog., K.58 [B—K.60], K.2 tog., turn.

Continue on last 60 [B—62] sts., dec. once at armhole edge in every alt. row, nine times, whilst at same time dec. once at neck edge in every 6th row, three times.

Continue dec. at neck edge only in every 6th row, six times, then in every 4th row, until 34 [B—36] sts. remain. Work 2 rows without shaping.

For Pullover without Sleeves: Work 10 rows without shaping. Shape for shoulder as follows:—

**1st row.**—Work to last 11 [B—12] sts., turn.

**2nd and 4th rows.**—Work to end of row.

**3rd row.**—Work to last 22 [B—24] sts., turn.

**5th row.**—Like 2nd row. Cast off.

Join in wool where sts. were left, and work on remaining sts. to correspond with other side.

**THE BACK.**—Work exactly as given for Front to \*\*. Cast off 13 [B—15] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row, until 104 [B—108] sts. remain.

Continue without shaping, until armholes measure same as Front armholes. Shape for shoulders as follows:—

**1st and 2nd rows.**—Work to last 11 [B—12] sts., turn.

**3rd and 4th rows.**—Work to last 22 [B—24] sts., turn.

**5th and 6th rows.**—Work to last 34 [B—36] sts., turn.

**7th row.**—Work to end of row. Cast off.

**THE SLEEVES.**—Using No. 12 Needles, cast on 72 [B—76] stitches.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row thirty-nine times.

Using No. 10 Needles, proceed as follows:—

**1st row.**—Knit plain. **2nd row.**—Purl.

Repeat 1st and 2nd rows four times.

Continue in plain smooth fabric, inc. once at each end of needle in next and every 8th row, until there are 112 [B—118] sts. on needle.

Continue without shaping, until work measures 20 [B—20½] ins. from commencement. Dec. once at each end of needle in next and every alt. row, until 44 [B—46] sts. remain. Cast off.

Work another Sleeve in same manner.

[Continued on page 15]



# Murdoch

IN TWO SIZES, WITH OR WITHOUT SLEEVES

## PATONS HIGHLAND SPORTS WOOL

Size A—37-38 ins. With Sleeves	16 ozs.	Without Sleeves	10 ozs.
Size B—42-43 ins. With Sleeves	18 ozs.	Without Sleeves	11 ozs.
Length from top of shoulder	Size A 23 ins.	Size B 25 ins.	
Length of sleeve from underarm	Size A 20 ins.	Size B 20½ ins.	

Knitting Needles, 1 pair each Nos. 9 and 11, 1 set of four No. 11, measured on a Beehive Needle Gauge.

ABBREVIATIONS:—See page 17.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 12½ stitches to 2 inches in width on No. 9 Needles.

Instructions are for smaller size A. Larger size is shown thus [B—.....].

**THE FRONT.**—Using No. 11 Needles, cast on 112 [B—120] stitches.

Stop! Have you checked your tension? See page 17.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row.

Repeat 1st row thirty-eight [B—forty-two] times.

**[A] 40th row.**—Work 2 sts. in rib, \* increase once in next st., work 17 sts. in rib, repeat from \* to last 2 sts., work 2 sts. in rib. (118 sts.)**[B] 44th row.**—\* Work 11 sts. in rib, increase once in next st., repeat from \* to end of row. (130 sts.)

Using No. 9 Needles, proceed as follows:—

**\*\* 1st row.**—K.22 [B—K.28], (P.2, K.2, P.2, K.7), twice, (P.2, K.2), five times, P.2, (K.7, P.2, K.2, P.2), twice, K.22 [B—K.28].**2nd row.**—P.22 [B—P.28], (K.2, P.2, K.2, P.7), twice, (K.2, P.2), five times, K.2, (P.7, K.2, P.2, K.2), twice, P.22 [B—P.28].**3rd row.**—K.24 [B—K.30], (P.2, K.11), twice, (P.2, K.2), five times, K.9, P.2, K.11, P.2, K.24 [B—K.30].**4th row.**—P.24 [B—P.30], (K.2, P.11), twice, (K.2, P.2), five times, P.9, K.2, P.11, K.2, P.24 [B—P.30]. \*\*

For Pullover with Sleeves: Repeat from \*\* to \*\* twenty-one [B—twenty-three] times. \*\*\*

For Pullover without Sleeves: Repeat from \*\* to \*\* nineteen [B—twenty-one] times. \*\*\*

Cast off 10 sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row, until 90 [B—102] sts. remain.

Work 1 row without shaping.

In next row.—K.2 tog., K.43 [B—K.49], turn.

Continue on these 44 [B—50] sts., dec. once at armhole edge in every alt. row, twice.

Work 1 row without shaping.

In next row.—K.2 tog., work in pattern to last 2 sts., K.2 tog.

Decrease once at neck edge in every 4th row, until 29 [B—33] sts. remain.

[Continued on page 15]







# Charles

IN TWO SIZES,  
WITH OR WITHOUT SLEEVES,  
WITH "V" OR "ROUND" NECK

## PATONS BEEHIVE CREPE

To fit A—38-39, B—42-43 inch chest.

### "V" Neck—

#### With Sleeves—

Size A, 12 ozs. Size B, 13 ozs.

#### Without Sleeves—

Size A, 8 ozs. Size B, 9 ozs.

### Round Neck—

#### With Sleeves—

Size A, 12 ozs. Size B, 13 ozs.

#### Without Sleeves—

Size A, 8 ozs. Size B, 9 ozs.

Length from top of shoulder—

Size A, 24 ins. Size B, 25 ins.

Length of sleeve from underarm—

Size A, 20 ins. Size B, 20½ ins.

Knitting Needles, 1 pair each Nos. 10 and 12, 1 set of four No. 12, measured on a Beehive Needle Gauge.

ABBREVIATIONS.—See page 17.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width on No. 10 Needles.

Instructions are for smaller size A. Larger size is shown thus [B—.....].

### PULLOVER WITH "V" NECK:

**THE FRONT.**—Using No. 12 Needles, cast on 144 [B—144] stitches.

Stop! Have you checked your tension? See page 17.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row fifty times.

In next row.—\* Increase once in first st., work 15 [B—5] sts. in rib, repeat from \* to end of row. (153 [B—168] sts.)

Using No. 10 Needles, proceed as follows:—

**\*\* 1st row.**—\* K.1, P.1, K.1, P.5, K.2, P.5, repeat from \* to last 3 sts., K.1, P.1, K.1.

**2nd row.**—\* K.1, P.1, K.1, K.5, P.2, K.5, repeat from \* to last 3 sts., K.1, P.1, K.1.

**3rd row.**—\* K.1, P.1, K.1, P.4, K.4, P.4, repeat from \* to last 3 sts., K.1, P.1, K.1.

**4th row.**—\* K.1, P.1, K.1, K.4, P.4, K.4, repeat from \* to last 3 sts., K.1, P.1, K.1.

**5th row.**—\* K.1, P.1, K.1, P.3, K.2, P.2, K.2, P.3, repeat from \* to last 3 sts., K.1, P.1, K.1.

**6th row.**—\* K.1, P.1, K.1, K.3, P.2, K.2, P.2, K.3, repeat from \* to last 3 sts., K.1, P.1, K.1.

**7th row.**—\* K.1, P.1, K.1, P.2, K.2, P.4, K.2, P.2, repeat from \* to last 3 sts., K.1, P.1, K.1.

**8th row.**—\* K.1, P.1, K.1, K.2, P.2, K.4, P.2, K.2, repeat from \* to last 3 sts., K.1, P.1, K.1.

**9th row.**—\* K.1, P.1, K.1, P.1, K.2, P.6, K.2, P.1, repeat from \* to last 3 sts., K.1, P.1, K.1.

**10th row.**—\* K.1, P.1, K.2, P.2, K.6, P.2, K.1, repeat from \* to last 3 sts., K.1, P.1, K.1.

**11th row.**—Like 7th row. **12th row.**—Like 8th row.

**13th row.**—Like 5th row. **14th row.**—Like 6th row.

**15th row.**—Like 3rd row. **16th row.**—Like 4th row. \*\*

### FOR PULLOVER WITH SLEEVES:

[A] Repeat from \*\* to \*\* seven times.

[B] Repeat from \*\* to \*\* seven times, then from \*\* to 11th row.

### FOR PULLOVER WITHOUT SLEEVES:

[A] Repeat from \*\* to \*\* six times, then from \*\* to 5th row once.

[B] Repeat from \*\* to \*\* seven times.

Cast off 6 [B—8] sts. at beg. of next 2 rows, then 3 [B—5] sts. at beg. of following 2 rows. \*\*\*

Dec. once at each end of needle in next and every alt. row, until 127 [B—134] sts. remain, then in 4th row. Work 3 rows in pattern without shaping.

In next row.—K.2 tog., work 59 [B—64] sts. in pattern, K.2 tog. in size A only, turn.

Continue on these 61 [B—65] sts., dec. once at neck edge in every following 3rd row, until 37 [B—41] sts. remain.

### FOR PULLOVER WITH SLEEVES:

Work 4 rows without shaping.

[Continued on page 15]



# Miles

IN THREE SIZES

## PATONS BLUEBELL CREPE

Size A ..... 38 ins. .... 16 ozs.  
Size B ..... 40 ins. .... 17 ozs.  
Size C ..... 42 ins. .... 18 ozs.

Length from top of shoulder—

Size A, 22½ ins. Size B, 23 ins.  
Size C, 23½ ins.

Length of sleeve from underarm—

Size A, 20 ins. Size B, 20½ ins.  
Size C, 21 ins.

Knitting Needles, 1 pair each Nos. 9  
and 12, measured on a Beehive  
Needle Gauge.

22-inch Zipp Fastener.

ABBREVIATIONS:—See page 17.

TENSION:—To get these measure-  
ments it is absolutely necessary to  
work at a tension to produce 7  
stitches to the inch in width on  
No. 9 Needles.

Instructions are for smallest size A. Larger sizes  
are shown thus:—[B—.....], [C—.....].

**THE LEFT FRONT.**—Using No. 12 Needles, cast on  
60 [B—64] [C—68] stitches.

Stop! Have you checked your tension? See page 17.

**1st row.**—\* K.1, P.1, repeat from \* to last 2 sts., K.2.  
Repeat 1st row forty-seven times.

Using No. 9 Needles, proceed as follows:—

**1st row.**—Knit plain, increasing twice in second last st.  
**2nd row.**—Purl.

Continue in plain smooth fabric, inc. once at beg. of  
needle in 11th and every following 10th row, until there  
are 66 [B—70] [C—74] sts. on needle.

Work 10 [B—14] [C—18] rows without shaping.

Proceed as follows:—

**1st row.**—Purl to last 3 sts., K.1, P.1, K.1.

**2nd row.**—K.1, pick up thread before next st. and knit  
it t.b.l. (this will now be termed "Increase" throughout),  
K.1, P.1, K.2 tog., knit plain to end of row.

**3rd row.**—Purl to last 4 sts., (K.1, P.1), twice.

**4th row.**—K.1, "Increase," P.1, K.1, P.1, knit plain to  
end of row.

**5th row.**—Purl to last 5 sts., (K.1, P.1), twice, K.1.

**6th row.**—K.1, "Increase," (K.1, P.1), twice, K.2 tog.,  
knit plain to end of row.

**7th row.**—Purl to last 6 sts., (K.1, P.1), three times.

**8th row.**—K.1, "Increase," (P.1, K.1), twice, P.1, knit  
plain to end of row.


**9th row.**—Purl to last 7 sts., (K.1, P.1), three times, K.1.

**10th row.**—K.1, "Increase," (K.1, P.1), three times,  
K.2 tog., knit plain to end of row.

Continue inc. in this manner at side edge, five times,  
whilst at same time dec. (inside of ribbing) in every 4th  
row, twice.

Proceed as follows:—

**1st row.**—Purl to last 13 sts., (K.1, P.1), six times,  
"Increase," K.1.



**2nd row.**—K.1, "Increase," (P.1, K.1), six times, P.1,  
K.2 tog., knit plain to end of row.

Continue dec. once as before in every 4th row, until 62  
[B—66] [C—70] sts. remain.

Work 3 rows without shaping.

Cast off 2 sts. at beg. of next and every alt. row, seven  
times, whilst at same time dec. in next and every 4th  
row, three times. (42 [B—46] [C—50] sts.)

Work 2 rows, dec. once at beg. of needle in 2nd row.

Cast off 12 [B—16] [C—18] sts. at beg. of next row.

Dec. once at each end of needle in next and every alt.

row, until 13 sts. remain.  
Dec. once at beg. of needle in every alt. row, six times,  
whilst at same time dec. once at neck edge in every 4th  
row, three times.

Proceed as follows:—

**1st row.**—P.4. **2nd row.**—K.1, K.2 tog., K.1.

**3rd row.**—P.3. **4th row.**—Slip 1, K.2 tog., p.s.s.o.

Fasten off.

**THE RIGHT FRONT.**—Work to correspond with Left  
Front, working shapings at opposite ends of needle.  
When decreasing at inside of ribbing, in every 4th row,  
use slip 1, K.1, p.s.s.o., instead of K.2 tog.

**THE BACK.**—Using No. 12 Needles, cast on 118  
[B—126] [C—134] stitches.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row.  
Repeat 1st row forty-seven times.

Using No. 9 Needles, proceed as follows:—

**1st row.**—Knit plain. **2nd row.**—Purl.

Continue in plain smooth fabric, inc. once at each end  
of needle in 11th and every 10th row, until there are  
126 [B—134] [C—142] sts. on needle.

Work 10 [B—14] [C—18] rows without shaping.

Proceed as follows:—

**1st row.**—K.1, P.1, K.1, purl to last 3 sts., K.1, P.1, K.1.

[Continued on page 16]



# Glenn

IN TWO SIZES,  
WITH OR WITHOUT SLEEVES

## PATONS AZALEA CROCHET WOOL

**Size A—38-39 ins.** With Sleeves—  
14 ozs. Without Sleeves—9 ozs.

**Size B—42-43 ins.** With Sleeves—  
16 ozs. Without Sleeves—10 ozs.

Length from top of shoulder—

**Size A, 23 ins. Size B, 24½ ins.**

Length of sleeve from underarm—

**Size A, 20 ins. Size B, 20½ ins.**

Knitting Needles, 1 pair each Nos.  
10 and 12, measured on a Beehive  
Needle Gauge. Cable Needle.

ABBREVIATIONS:—See page 17.

TENSION:—To get these measure-  
ments it is absolutely necessary to  
work at a tension to produce 8  
stitches to the inch in width on No.  
10 Needles.

Instructions are for smallest size A.  
Larger size is shown thus [B—.....].

**THE FRONT.**—Using No. 12 Needles, cast on 160  
[B—168] stitches.

*Stop! Have you checked your tension? See page 17.*

**1st row.**—K.3, \* P.2, K.2, repeat from \* to last st., K.1.

**2nd row.**—K.1, \* P.2, K.2, repeat from \* to last 3 sts.,  
P.2, K.1.

Repeat 1st and 2nd rows twenty-one times, then 1st  
row once.

In next row.—Work 19 [B—7] sts. in rib, \* increase  
once in next st., work 19 [B—6] sts. in rib, repeat from  
\* to last st., increase once in last st. [B—to last 7 sts.,  
work 7 sts. in rib]. (168 [B—190] sts.)

Using No. 10 Needles, proceed as follows:—

**\*\* 1st row.**—P.1, \* P.3, (K.1, P.1), three times, P.3, K.4,  
P.2, K.4, repeat from \* to last 13 sts., P.3, (K.1, P.1),  
three times, P.4.

**2nd row.**—K.1, \* K.3, (P.1, K.1), three times, K.3, P.4,  
K.2, P.4, repeat from \* to last 13 sts., K.3, (P.1, K.1),  
three times, K.4.

**\*\*\* 3rd row.**—Like 1st row. **4th row.**—Like 2nd row.  
Repeat 1st and 2nd rows once.

**"Cable Front"** = slip 2 sts. on to a cable needle and  
leave at front of work, K.2, knit sts. from cable needle.

**"Cable Back"** = slip 2 sts. on to a cable needle and  
leave at back of work, K.2, knit sts. from cable needle.

**7th row.**—P.1, \* P.3, (K.1, P.1), three times, P.3, "Cable  
Front," P.2, "Cable Back," repeat from \* to last 13 sts.,  
P.3, (K.1, P.1), three times, P.4.

**8th row.**—Like 2nd row. \*\*

Repeat from \*\* to \*\* twice, then 1st and 2nd rows twice.  
**"Double Cable"** = sl. 4 sts. on to a cable needle and  
leave at front of work, P.1, knit sts. from cable needle,  
sl. next st. on to a cable needle and leave at back of  
work, K.4, purl st. from cable needle.

**29th row.**—P.1, \* P.3, (K.1, P.1), three times, P.3,  
work a "Double Cable" over next 10 sts., repeat from \*  
to last 13 sts., P.3, (K.1, P.1), three times, P.4.

**30th row.**—K.4, \* (P.1, K.1), three times, K.4, P.8, K.4,  
repeat from \* to last 10 sts., (P.1, K.1), three times, K.4.

**"Front Double Cable"** = sl. 4 sts. on to a cable needle  
and leave at front of work, K.4, knit sts. from cable  
needle.

**31st row.**—P.4, \* (K.1, P.1), three times, P.4, work a  
"Front Double Cable" over next 8 sts., P.4, repeat from  
\* to last 10 sts., (K.1, P.1), three times, P.4.

**32nd row.**—Like 30th row.

**"Back Double Cable"** = sl. next st. on to a cable needle  
and leave at back of work, K.4, purl st. from cable  
needle, sl. next 4 sts. on to a cable needle and leave at  
front of work, P.1, knit sts. from cable needle.

[Continued on page 17]

# Lennox

IN TWO SIZES

## PATONS TOTEM KNITTING WOOL

**Size A—39-40 ins.** ..... **20 ozs.**      **Size B—41-42 ins.** ..... **22 ozs.**  
**Both Sizes** ..... Length from top of shoulder ..... 25 ins.  
 Length of sleeve from underarm ..... **Size A, 20 ins. Size B, 20½ ins.** (or length desired)  
 Knitting Needles, 1 pair each Nos. 7 and 10, measured on a Beehive Needle Gauge.  
 Eight Medium Buttons.

ABBREVIATIONS:—See page 17.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 11½ stitches to 2 ins. in width on No. 7 Needles.

Instructions are for smaller size A. Larger size is shown thus [B—.....].

**THE RIGHT FRONT.**—Using No. 10 Needles, cast on 56 [B—60] stitches.

*Stop! Have you checked your tension? See page 17.*

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row.

Repeat 1st row forty-one times, dec. once at beg. of needle in last row.

Using No. 7 Needles, proceed as follows:—

**\*\* 1st row.**—K.2, \* P.1, K.1, repeat from \* to last st., K.1.

**2nd row.**—K.1, \* P.1, K.3, repeat from \* to last 10 sts., (P.1, K.1), five times.

**3rd row.**—K.2, (P.1, K.1), three times, P.1, \* K.1, P.3, repeat from \* to last 2 sts., K.2.

**4th row.**—\* K.3, P.1, repeat from \* to last 11 sts., K.3, (P.1, K.1), four times. **\*\***

Repeat from \*\* to \*\* seventeen times, then from 1st to 3rd row once.

Cast off 4 [B—6] sts. at beg. of next row, then dec. once at armhole edge in next and every alt. row, until 48 [B—50] sts. remain.

Continue dec. at armhole edge, whilst at same time dec. once (inside border of 8 sts.) in next and every 5th row, until 42 [B—44] sts. remain.

Continue dec. inside border in 3rd and every 5th row, until 33 [B—35] sts. remain.

Work 2 rows without shaping.

Shape for shoulder as follows:—

**1st row.**—Work to last 7 [B—9] sts., turn.

**2nd, 4th and 6th rows.**—Work to end of row.

**3rd row.**—Work to last 14 [B—18] sts., turn.

**5th row.**—Work to last 25 [B—27] sts., turn.

**7th row.**—Like 2nd row.

[Continued on page 18







# Dallas

IN THREE SIZES,  
WITH OR WITHOUT SLEEVES

**PATONS**  
**BEEHIVE FINGERING, 4-ply—**  
**"PATONISED," SHRINK-**  
**RESISTANT.**

**Size A—35-36 ins.** With Sleeves—  
**14 ozs.** Without Sleeves—**8 ozs.**

**Size B—39-40 ins.** With Sleeves—  
**15 ozs.** Without Sleeves—**9 ozs.**

**Size C—42-43 ins.** With Sleeves—  
**16 ozs.** Without Sleeves—**10 ozs.**

Length from top of shoulder—  
**Size A, 22 ins.** **Size B, 25 ins.**  
**Size C, 25½ ins.**

Length of sleeve from underarm—  
**Size A, 19½ ins.** **Size B, 20½ ins.**  
**Size C, 20½ ins.**

Knitting Needles, 1 pair each Nos.  
10 and 12, measured on a Bee-  
hive Needle Gauge.

ABBREVIATIONS:—See page 17.

TENSION:—To get these measure-  
ments it is absolutely necessary  
to work at a tension to produce  
7½ stitches to the inch in width  
on No. 10 Needles.

Instructions are for smallest size A. Larger sizes are  
shown thus [B—.....], [C—.....].

**THE FRONT.**—Using No. 12 Needles, cast on 132  
[B—142] [C—156] stitches.

Stop! Have you checked your tension? See page 17.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row.  
Repeat 1st row forty-six times.

**48th row.**—Work 2 sts. in rib, \* increase once in next  
st., work 12 [B—9] [C—10] sts. in rib, repeat from \*  
to end of row. (142 [B—156] [C—170] sts.)

Using No. 10 Needles, proceed as follows:—

**\*\* 1st row.**—K.1, P.2, \* K.2, P.2, knit 2nd st. on left-  
hand needle, but before slipping off needle knit 1st st.,  
slip both sts. off needle together (working of these 2 sts.  
will now be termed "Twist" throughout), P.2, K.2, P.4,  
repeat from \* to last 13 sts., K.2, P.2, "Twist," P.2,  
K.2, P.2, K.1.

**2nd row.**—K.3, \* (P.2, K.2), twice, P.2, K.4, repeat  
from \* to last 13 sts., (P.2, K.2), twice, P.2, K.3. \*\*  
Repeat from \*\* to \*\*, until work measures 14 [B—16½]  
[C—16½] ins. from commencement. For Pullover with-  
out Sleeves—Repeat from \*\* to \*\*, until work measures  
13 [B—15½] [C—15½] ins. from commencement.  
Cast off 8 [B—10] [C—12] sts. at beginning of next  
2 rows. \*\*\*

For Pullover with Sleeves:

In next row.—K.2 tog., work 59 [B—64] [C—69] sts.  
in pattern, K.2 tog., turn.

10

Keeping continuity of pattern on these 61 [B—66]  
[C—71] sts., dec. once at beg. of needle in every alt.  
row five [B—five] [C—seven] times, whilst at same  
time dec. once at neck edge in every 4th row, twice  
[B—twice] [C—three times]. (54 [B—59] [C—61] sts.)

For Pullover without Sleeves:

Dec. once at each end of needle in next and every alt.  
row, until 118 [B—128] [C—138] sts. remain.

Work 1 row without shaping.

In next row.—K.2 tog., work 55 [B—60] [C—65] sts.  
in pattern, K.2 tog., turn.

Keeping continuity of pattern on these 57 [B—62]  
[C—67] sts., dec. once at beg. of needle in every alt.  
row, once [B—once] [C—three times], C only, whilst  
at same time dec. once at neck edge in 4th row.

For Pullover with or without Sleeves:

Continue dec. at neck edge only in 2nd and every 4th  
row, until 36 [B—40] [C—42] sts. remain.

Work 2 [B—4] [C—6] rows without shaping.

Shape for shoulder as follows:—

**1st row.**—Work to last 9 [B—10] [C—10] sts., turn.

**2nd and 4th rows.**—Work to end of row.

**3rd row.**—Work to last 18 [B—20] [C—20] sts., turn.

**5th row.**—Work to last 27 [B—30] [C—31] sts., turn.

**6th row.**—Like 2nd row. Cast off.

Join in wool at centre front, and work on remaining sts.  
to correspond with other side.

**THE BACK.**—Work exactly as given for Front to \*\*\*.

[Continued on page 18]

# Ewan

**PATONS**  
**BEEHIVE FINGERING, 3-ply—**  
**"PATONISED," SHRINK-**  
**RESISTANT**

To fit **38-inch** chest.

Length from top of shoulder,  
 22½ ins.

**Dark Wool** ..... 4 ozs.

**Light Wool** ..... 3 ozs.

Knitting Needles, 1 pair each Nos.  
 10 and 12, 1 set of four No. 12,  
 measured on a Beehive Needle  
 Gauge.

**ABBREVIATIONS:**—See page 17.  
 D. = Dark, L. = Light.

**TENSION:**—To get these measure-  
 ments it is absolutely necessary  
 to work at a tension to produce  
 8 stitches to the inch in width on  
 No. 10 Needles.

**THE FRONT.**—Using No. 12  
 Needles and Dark Wool, cast on  
 132 stitches.

*Stop! Have you checked your  
 tension? See page 17.*

Work in K.1, P.1 rib for 3¼ ins.  
 In next row.—Rib 10, (inc. in next  
 st., rib 4), twenty-two times, inc. in  
 next st., rib to end. (155 sts.)

Change to No. 10 Needles, and proceed to work in  
 check pattern as follows.

Do not break off wool, but leave hanging and carry  
 up side of work.

Strand the colour not in use across back of work.

**1st row.**—Using Dark and Light, K.3D., \* 1L., 1D.,  
 2L., 1D., 1L., 5D., repeat from \* to last 9 sts., 1L.,  
 1D., 2L., 1D., 1L., 3D.

**2nd row.**—P.3D., \* 1L., 1D., 2L., 1D., 1L., 5D., repeat  
 from \* to last 9 sts., 1L., 1D., 2L., 1D., 1L., 3D.

**3rd row.**—As 1st row.

**4th row.**—Using Light, and weaving in Dark on every  
 5th st., P. all across.

**5th row.**—As 1st row. **6th row.**—Using Light, P.

**7th row.**—Using Light, K. **8th row.**—As 2nd row.

**9th row.**—Using Light, and weaving in Dark on every  
 5th st., K. all across.

**10th row.**—As 2nd row. **11th row.**—As 1st row.

**12th row.**—P.3D., \* 1L., 1D., 2L., 1D., 1L., 5D., repeat  
 from \* to last 9 sts., 1L., 1D., 2L., 1D., 1L., 3D.

Repeat rows 1 to 12 inclusive, six times, then rows  
 1-10 inclusive, once.

Cast off 10 sts. at beg. of next 2 rows.

In next row.—K.2 tog., pattern 65, cast off 1 st., pattern  
 to last 2 sts., K.2 tog.

Keeping pattern correct, proceed on last group of 66  
 sts. as follows:—

Dec. 1 st. at armhole edge on every alt. row, until 8  
 dec. (9 in all) have been completed at armhole edge.



PATONS &  
 BALDWIN'S

At same time dec. 1 st. at neck edge on every 3rd row,  
 until 53 sts. remain.

Continue dec. at neck edge only on every 3rd row as  
 before, until 36 sts. remain.

Continue on these sts., until work measures 8½ ins.  
 from beg. of armhole shaping, finishing at armhole edge.

Shape shoulder by casting off 9 sts. at beg. of next and  
 every alt. row, until all sts. are cast off. Join in wools,  
 and work on remaining sts. to correspond with other side.

**THE BACK.**—Work as Front, until armhole shaping  
 is reached.

Cast off 10 sts. at beg. of next 2 rows, dec. 1 st. at both  
 ends of next and every alt. row, until 109 sts. remain.

Continue on these sts., until armholes measure same as  
 Front armholes. Cast off.

**THE NECK BAND.**—Using an ⅛ of an inch back  
 stitch seam, sew up shoulder seams.

With right side of work facing, and using set of four No.  
 12 Needles and Dark Wool, knit up 162 sts. round neck.  
 Work 10 rounds in K.1, P.1, rib, dec. 1 st. at each side  
 of centre st. in every round. Cast off loosely in rib.

**THE ARMHOLE BANDS.**—With right side of work  
 facing, and using No. 12 Needles and Dark Wool, knit  
 up 164 sts. round armhole.

Work 10 rows in K.1, P.1 rib. Cast off loosely in rib.  
 Work other Armhole Band in same manner.

**TO MAKE UP PULLOVER.**—With a slightly damp  
 cloth and warm iron, press lightly. Using a flat seam  
 for ribbing and an ⅜ of an inch back stitch seam for  
 other seam, sew up side seams. Finally, press all seams.



# Robb

ILLUSTRATED ON FRONT COVER

## PATONS BEEHIVE FINGERING, 4-ply—"PATONISED," SHRINK-RESISTANT

To fit 36-38 inch chest ..... Length from top of shoulder ..... 22 ins.

Natural ..... 4 ozs. Nigger ..... 1 oz. County Brown 1 oz. Yellow ..... 1 oz.

Emerald ..... 1 oz. Sage Green ..... 1 oz. White ..... 1 oz. Rust ..... 1 oz.

Knitting Needles, 1 pair each Nos. 9 and 12, measured on a Beehive Needle Gauge. Stitch Holder.

ABBREVIATIONS:—See page 17. M. = Natural, B. = County Brown, N. = Nigger, S. = Sage Green, E. = Emerald, Y. = Yellow, W. = White, R. = Rust.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce  $7\frac{1}{2}$  stitches to the inch in width on No. 9 Needles.

Note:—Pattern is worked in by twisting the two colours of wool on wrong side of fabric; that is to say, colour in use is twisted under and over colour not in use, latter being left at a loose tension to allow correct elasticity to fabric.

**THE FRONT.**—With M. Wool and No. 12 Needles, cast on 145 stitches.


Stop! Have you checked your tension? See page 17.

Work  $3\frac{1}{2}$  ins. K.1, P.1 rib rows on right side, having a K.1 at each end.

Change to No. 9 Needles, and work 2 rows Stocking Stitch, starting with a K. row. Work 44 rows from chart, reading K. rows from right to left and P. rows from left to right.

Work 24 pattern sts. six times across and last st. on K. rows and first st. on P. rows as indicated.

Work 44 rows once, then first 32 rows.



### KEY

- ☐ Natural
- ☒ Emerald
- ☒ Sage
- ☒ Rust
- ☒ Nigger
- ☒ Brown
- ☒ Yellow
- ☒ White

Shape armholes and neck as follows:—

**1st row.**—Cast off 6, K. to end in M.

**2nd row.**—Cast off 6, P. to end in M.

Continue in Stocking Stitch thus:

**3rd row.**—Cast off 6, \* 1E., 3M.; repeat from \* to last 3 sts., 1E., 2M.

**4th row.**—Cast off 6, 2E., 2M., 1E., 2M., 3E., 2M., 1E.; work 24 pattern sts. as on 36th row of chart, four times; 2M., 3E., 2M., 1E., 2M., 2E.

**5th row.**—Cast off 6, 2M., 1E., 2M., 1E.; work pattern as 37th row of chart, four times; 1M., 1E., 2M., 1E., 2M., 1E., 1M., 1E., 2M., 1E.

**6th row.**—Cast off 6, 1E., 3M., 1E., 2M.; work pattern as 38th row of chart, four times; 1M., 1E., 3M., 1E. This completes armhole shaping. (109 sts.)

**7th row.**—1M., 1E., 1M., 1E., 2M.; work pattern as 39th row of chart, four times; 1E., 2M., 1E., 1M., 1E., 1M.

**8th row.**—2M., 1E., 2M., 2E.; work pattern as 40th row of chart, four times; 1E., 2M., 1E., 2M.

**9th row.**—2M., 1E., 3M.; work pattern as 41st row of chart, four times; 1E., 3M., 1E., 2M.

**10th, 11th and 12th rows.**—All in M.

**13th row.**—\* 1N., 3M.; repeat from \* to last st., 1N.

**14th row.**—2N., \* 1M., 3N.; repeat from \* to last 3 sts., 1M., 2N.

**15th row.**—K.54N., turn and leave remaining sts. on a stitch holder.

**16th row.**—P.2 tog. B., \* 3N., 1B.; repeat from \* to end.

**17th row.**—2B., \* 1N., 3B.; repeat from \* to last 3 sts., 1N., 2B.

**18th row.**—P.2 tog. B., P. in B. to end.

**19th row.**—\* 1Y., 3B.; repeat from \* to end.

**20th row.**—P.2 tog. B., \* 3Y., 1B.; repeat from \* to last 2 sts., 2Y.

**21st row.**—K. in Y.

**22nd row.**—P.2 tog. Y., 1E., 3Y., 1E., 3Y., 1E., 3Y., 2E., 1Y.; work 24 pattern sts. as 10th row of chart, once; 2E., 3Y., 1E. (50 sts.)

**23rd row.**—1S., 1E., 3S., 1E.; work pattern sts. as 11th row of chart, once; 2E., 3S., 1E., 1S., 1E., 2S., 2E., 1S., 2E., 2S., 1E., 1S., 1E.

**24th row.**—P.2 tog. S., 1S., 1E., 1S., 5E., 1S., 1E., 3S., 1E., 3S., 1E.; work pattern as 12th row of chart; 3S., 1E., 2S.

**25th row.**—3W., 1E., 2W.; work pattern as 13th row of chart; 3W., 1E., 5W., 1E., 1W., 3E., 1W., 1E., 3W.

**26th row.**—P.2 tog. R., 1R., 1W., 1R., 1W., 1R., 1W., 1R., 1W., 3R., 3W., 1R., 2W.; work pattern as 14th row of chart; 1W., 1R., 3W., 1R.

**27th row.**—4Y., 2R.; work pattern as 15th row of chart; 1Y., 2R., 4Y., 3R., 1Y., 1R., 1Y., 1R., 1Y., 3R.

[Continued on page 19]

# Ritchie

ILLUSTRATED ON BACK COVER

## PATONS BEEHIVE FINGERING, 4-ply—"PATONISED," SHRINK RESISTANT

To fit 36-38 inch chest ..... Length from top of shoulder ..... 24 ins.  
 Ground Shade .. 4 ozs. Banana ..... 1 oz. Yellow ..... 1 oz. Gold ..... 1 oz.  
 Navy ..... 1 oz. Royal ..... 1 oz. Mid-Blue ..... 1 oz.

Small quantities Light Blue and Bottle Green.

Knitting Needles, 1 pair each Nos. 9 and 12, 1 set of four No. 12, measured on a Beehive Needle Gauge.  
 Stitch Holder.

ABBREVIATIONS:—See page 17.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 7½ stitches to the inch in width on No. 9 Needles.

Note:—Do not weave colours in Fair Isle pattern, but carry loosely across back of work. It is important, however, that no colour should be stranded over more than 5 sts., and where it has to lie across more than 7 sts., it should be woven over and under 5th and 6th sts. to prevent long loops on back of work.

The Fair Isle portions of this Pullover are knitted in stocking stitch.

Work repeat of rows 1-58 inclusive from chart throughout, noting that the 18 sts. repeat is worked across row, and that each odd st. is worked once only at end of K. row and beginning of P. row.

### THE FRONT:

Using No. 12 Needles and Ground Shade, cast on 124 stitches.

Stop! Have you checked your tension? See page 17.

Work in K.2, P.2 rib for 3¼ ins.

In next row.—K.2, (increase in next st., rib 5), twenty times, increase in next st., P.1. (145 sts.)

Change to No. 9 Needles, and proceed in Fair Isle pattern from chart as directed, until work measures 15 ins. from beg., finishing at end of a P. row.

Keeping pattern correct, shape armholes and divide for neck as follows:—

In next row.—Cast off 10, pattern 61 (there now being 62 sts. on needle after cast off), leave these sts. on stitch holder, cast off 1, pattern to end.

In next row.—Cast off 10, pattern 61 (there now being 62 sts. on needle after cast off).

Proceed on these 62 sts. as follows:—

Keeping pattern correct, dec. 1 st. at armhole edge on next and every alt. row, until 9 dec. have been completed at armhole edge, at same time dec. 1 st. at neck edge on next and every 3rd row, until armhole dec. are completed.

Continue dec. at neck edge only on every 3rd row from previous dec., until 36 sts. remain.

Continue on these sts., until work measures 8½ ins. from beg. of armhole shaping, finishing at armhole edge. Shape shoulder by casting off 12 sts. at beg. of next and every alt. row, until all sts. are cast off. Join in wool, and work on remaining sts. to correspond with other side.

**THE BACK.**—Work as Front, until armhole shaping is reached.

Keeping pattern correct, shape armholes by casting off 10 sts. at beg. of next 2 rows, dec. 1 st. at both ends of next and every alt. row, until 109 sts. remain.

Continue on these sts., until armholes measure same as Front armholes.

Cast off 12 sts. at beg. of next 6 rows. Cast off.

### THE ARMHOLE BANDS.

—Using a back stitch seam, join shoulders of Back and Front.

Using two No. 12 Needles and Ground Shade, with right side of work facing knit up 160 sts. round armhole.

Work in K.2, P.2 rib for 1 in. Cast off in rib.

Work other Armhole Band in same manner.


### THE NECK BAND.

—Using set of No. 12 Needles and Ground Shade, with right side of work facing, commencing at top of left shoulder, knit up 76 sts. to cast-off st. at Centre V, knit up st. through cast-off st. at Centre V, then knit up 116 sts. to left shoulder. (193 sts.)

Proceed as follows:—

**1st round.**—\* P.2, K.2, repeat from \* to last 2 sts. from st. knitted up at Centre V, work 2 tog., K.1, work 2 tog., \* P.2, K.2, repeat from \* to end of round. Work in rounds in this manner, dec. 1 st. at each side of Centre V for 1 in. Cast off in rib.

**TO MAKE UP PULL-OVER.**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and an ⅛ of an inch back stitch seam for other seams, sew up side seams. Finally, press all seams.



18 ST. REPEAT  
 LAST ST. K ROW      ODD ROWS K  
 FIRST ST. P ROW      EVEN ROWS P

KEY

□ BOTTLE GREEN	□ LIGHT BLUE
□ NAVY	□ YELLOW
□ BANANA	□ GOLD
□ ROYAL	□ MID-BLUE
	□ GROUND SHADE



# Jock *(continued from page 2)*

**5th and 6th rows.**—Work to last 30 [B—32] sts., turn.  
**7th row.**—Work to end of row.

**8th and 9th rows.**—Cast off 30 [B—32] sts., work to end of row. Leave remaining sts. on a stitch holder.

**THE SLEEVES** (both alike).—Using No. 10 Needles, cast on 52 stitches.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row twenty-six [B—twenty-six] times.

**28th row.**—Work 4 sts. in rib (increase once in next st., work 5 sts. in rib), eight times. (60 sts.)

Using No. 7 Needles, proceed as follows:—

**1st row.**—P.3, K.4, P.2, Twist 2, (P.2, K.4), twice, P.2, K.10, (P.2, K.4), twice, P.2, Twist 2, P.2, K.4, P.3.

**2nd row.**—K.3, P.4, K.2, P.2, (K.2, P.4), twice, K.2, P.10, (K.2, P.4), twice, K.2, P.2, K.2, P.4, K.3.

Repeat 1st and 2nd rows twice.

**7th row.**—P.3, K.4, P.2, Twist 2, (P.2, K.4), twice, P.2, Cable 5, (P.2, K.4), twice, P.2, Twist 2, P.2, K.4, P.3.

**8th row.**—Like 2nd row.

Keeping continuity of pattern, as given from \*\* to \*\* for Front, inc. once at each end of needle in next and every 4th row, until there are 98 sts. on needle (working extra sts. in P.2, K.4, rib).

Continue without shaping, until work measures 20 ins. (or length desired) from commencement.

Cast off 2 sts. at beg. of needle in every row, until 10 sts. remain. Cast off. Work another Sleeve in same manner.

**THE POLO COLLAR.**—Using an ⅛ of an inch back stitch seam, sew up shoulder seams. With right side of work facing, and using four No. 11 Needles, knit up 116 sts. round neck (inc. sts. from stitch holders).

**1st round.**—\* K.1, P.1, repeat from \* to end of round. Repeat 1st round for 5 ins. Cast off loosely in rib.

**THE ROUND NECK.**—Repeat 1st round eight times. Cast off loosely in rib.

**THE ARMHOLE BANDS.**—With right side of work facing, and using two No. 11 Needles knit up 156 sts. round armhole.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row seven times. Cast off loosely in rib.

Work other Armhole Band in same manner.

**TO MAKE UP PULLOVER.**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and an ⅛ of an inch back stitch seam for other seams, sew up side and sleeve seams. Sew in sleeves, placing seam to seam.

For Pullover without Sleeves: Sew up side seams. Finally, press all seams.

# Forbes *(continued from page 3)*

Shape for shoulder as follows:—

**1st row.**—Work to last 8 [B—9] [C—9] sts., turn.

**2nd and alternate rows.**—Work to end of row.

**3rd row.**—Work to last 16 [B—18] [C—18] sts., turn.

**5th row.**—Work to last 24 [B—27] [C—27] sts., turn.

**7th row.**—Work to last 32 [B—36] [C—36] sts., turn.

**8th row.**—Like 2nd row. Cast off.

Join in wool, and work on remaining sts. to correspond with other side.

**THE BACK.**—Work exactly as given for Front to \*\*\*. Continue in rib pattern, until armholes measure same as Front armholes.

Shape for shoulders as follows:—

**1st and 2nd rows.**—Work to last 8 [B—9] [C—9] sts., turn.

**3rd and 4th rows.**—Work to last 16 [B—18] [C—18] sts., turn.

**5th and 6th rows.**—Work to last 24 [B—27] [C—27] sts., turn.

**7th and 8th rows.**—Work to last 32 [B—36] [C—36] sts., turn.

**9th and 10th rows.**—Work to last 41 [B—43] [C—45] sts., turn.

**11th row.**—Work to end of row. Cast off.

**THE SLEEVES.**—Using No. 12 Needles, cast on 74 [B and C—76] stitches.

**1st row.**—\* K.2, P.2, repeat from \* to end of row.

Repeat 1st row thirty-one times, increasing once at each end of needle in sizes B and C only. (78 sts.)

Using No. 10 Needles, work in pattern as given in chart, until top of chart is reached, inc. once at each end of needle in every 6th row.

Work in rib pattern as given from \*\* to \*\* for Front, inc. once at each end of needle in next and every 6th row, until there are 132 [B and C—136] sts. on needle.

Continue without shaping, until work measures 20 [B and C—20½] ins. from commencement.

Cast off 7 sts. at beginning of next 2 rows.


Dec. once at each end of needle in next and every alt. row, until 96 [B and C—100] sts. remain, then in every row, until 30 [B and C—34] sts. remain. Cast off. Work another Sleeve in same manner.

**THE NECK BAND.**—Using an ⅛ of an inch back stitch seam, sew up right shoulder seam.

With right side of work facing, and using No. 12 Needles, knit up 128 [B and C—136] sts. round neck.

**1st row.**—\* K.2, P.2, repeat from \* to end of row.

Repeat 1st row eight times. Cast off in rib.



**THE ARMHOLE BANDS.**—Using an  $\frac{1}{8}$  of an inch back stitch seam, sew up left shoulder seam. With right side of work facing, and using No. 12 Needles, knit up 176 [B and C—184] sts. round armhole.  
**1st row.**—\* K.2, P.2, repeat from \* to end of row. Repeat 1st row eight times. Cast off in rib.

**TO MAKE UP PULLOVER.**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and an  $\frac{1}{8}$  of an inch back stitch seam for other seams, sew up side, left shoulder and sleeve seams. Sew in sleeves, placing seam to seam.  
 For Pullover without Sleeves: Sew up side seams. Finally, press all seams.

## Drummond *(continued from page 4)*

**THE NECK BAND** (for Pullover with Sleeves):  
 Using an  $\frac{1}{8}$  of an inch back stitch seam, sew up right shoulder seam.

With right side of work facing, and using No. 12 Needles, knit up 85 [B—89] sts. along left side of neck (knitting up last st. from centre front), 84 [B—88] sts. along right side of neck and 32 [B—32] sts. across back of neck. (201 [B—209] sts.)  
 Work 9 rows in rib, decreasing 1 st. at each side of centre point of "V" neck in every row. Cast off in rib.

**THE NECK BAND** (for Pullover without Sleeves).—Using an  $\frac{1}{8}$  of an inch back stitch seam, sew up right shoulder seam.

With right side of work facing, and using No. 12 Needles, knit up 91 [B—95] sts. along left side of neck (knitting up last st. from centre front), 90 [B—94] sts. along right side of neck, and 36 [B—36] sts. across back of neck. (217 [B—225] sts.)

Work 9 rows in rib, decreasing 1 st. at each side of centre point of "V" neck in every row. Cast off in rib.

**THE ARMHOLE BANDS.**—Using an  $\frac{1}{8}$  of an inch back stitch seam, sew up left shoulder seam. With right side of work facing, and using No. 12 Needles, knit up 180 [B—186] sts. round armhole.  
**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row eight times. Cast off in rib.  
 Work other Armhole Band in same manner.

**TO MAKE UP PULLOVER.**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and an  $\frac{1}{8}$  of an inch back stitch seam for other seams, sew up side, left shoulder and sleeve seams. Sew in sleeves, placing seam to seam.  
 For Pullover without Sleeves: Sew up side seams. Finally, press all seams.

## Murdoch *(continued from page 5)*

For Pullover without Sleeves: Work 8 [B—8] rows in pattern without shaping.

Shape for shoulder as follows:—

**1st row.**—Work to last 7 [B—9] sts., turn.

**2nd and 4th rows.**—Work to end of row.

**3rd row.**—Work to last 14 [B—18] sts., turn.

**5th row.**—Work to last 21 [B—27] sts., turn.

**6th row.**—Like 2nd row. Cast off.

Join in wool at centre front, and work on remaining sts. to correspond with other side.

**THE BACK.**—Work exactly as given for Front to \*\*\*. Cast off 10 sts. at beg. of each of next 2 rows, then dec. once at each end of needle in next and every alt. row, until 82 [B—94] sts. remain.

Continue in pattern without shaping, until armholes measure same as Front armholes.

Shape for shoulders as follows:—

**1st and 2nd rows.**—Work to last 7 [B—9] sts., turn.

**3rd and 4th rows.**—Work to last 14 [B—18] sts., turn.

**5th and 6th rows.**—Work to last 21 [B—27] sts., turn.

**7th and 8th rows.**—Work to last 29 [B—33] sts., turn.

**9th row.**—Work to end of row. Cast off.

**THE SLEEVES.**—Using No. 11 Needles, cast on 58 [B—68] stitches.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row twenty-five times.

Using No. 9 Needles, proceed as follows:—

**1st row.**—Knit plain. **2nd row.**—Purl.

Continue in plain smooth fabric, inc. once at each end of needle in 3rd and every 8th row, until there are 92 [B—102] sts. on needle.

Continue without shaping, until work measures 20 [B—20½] ins. from commencement, ending with 2nd row.

Dec. once at each end of needle in next and every alt. row, until 52 [B—62] sts. remain, then in every row, until 34 [B—44] sts. remain. Cast off.

Work another Sleeve in same manner.

**THE NECK BAND.**—Using an  $\frac{1}{8}$  of an inch back stitch seam, sew up shoulder seams.

With right side of work facing, using set of No. 11 Needles, and commencing at left shoulder, knit up 58 [B—61] sts. down left front (knitting up last st. from centre front), 57 [B—60] sts. along right front, and 25 [B—25] sts. across back of neck. (140 [B—146] sts.)  
 Work 8 rounds in K.1, P.1, rib, dec. 1 st. at each side of centre point of "V" neck in every row. Cast off in rib.

**THE ARMHOLE BANDS.**—With right side of work facing, and using No. 11 Needles, knit up 126 [B—132] stitches round armhole.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row seven times. Cast off in rib.

Work other Armhole Band in same manner.

**TO MAKE UP PULLOVER.**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and an  $\frac{1}{8}$  of an inch back stitch seam for other seams, sew up side and sleeve seams. Sew in sleeves, placing seam to seam. For Pullover without Sleeves: Sew up side seams. Finally, press all seams.

## Charles *(continued from page 6)*

**FOR PULLOVER WITHOUT SLEEVES:**

Work 14 rows without shaping.

Shape for shoulder as follows:—

**1st row.**—Work to last 9 [B—10] sts., turn.

**2nd and 4th rows.**—Work to end of row.

**3rd row.**—Work to last 18 [B—20] sts., turn.

**5th row.**—Work to last 27 [B—30] sts., turn.

**6th row.**—Like 2nd row. Cast off.

Join in wool at neck edge, and work on remaining sts. to correspond with other side, omitting K.2 tog. at centre front in size A.

**THE BACK:** Work exactly as given for Front to \*\*\*. Dec. once at each end of needle in next and every alt. row, until 127 [B—134] sts. remain, then in every 4th row, until 123 [B—130] sts. remain.



Continue in pattern without shaping, until armholes measure same as Front armholes.

Shape for shoulders as follows:—

**1st and 2nd rows.**—Work to last 9 [B—10] sts., turn.

**3rd and 4th rows.**—Work to last 18 [B—20] sts., turn.

**5th and 6th rows.**—Work to last 27 [B—30] sts., turn.

**7th and 8th rows.**—Work to last 37 [B—41] sts., turn.

**9th row.**—Work to end of row. Cast off.

**THE SLEEVES:** Using No. 12 Needles, cast on 78 stitches.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row thirty-nine times.

Using No. 10 Needles, work in pattern as given from \*\* to \*\* for Front once.

Keeping continuity of pattern, inc. once at each end of needle in next and every 8th row, until there are 116 sts. on needle.

Continue in pattern without shaping, until side edge measures 20 [B—20½] ins. from commencement.

Cast off 5 sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row, until 30 sts. remain. Cast off.

Work another Sleeve in same manner.

**THE NECK BAND** (both sizes).—Using an ⅛ of an inch back stitch seam, sew up shoulder seams.

With right side of work facing, and using set of No. 12 Needles, knit up 71 sts. along left side of neck (knitting up last st. from centre front), 70 sts. along right side of neck and 49 sts. across back of neck. (190 sts.)

Work 9 rounds in rib, decreasing once at each side of centre point of "V" Neck in every row. Cast off in rib.

**THE ARMHOLE BANDS.**—With right side of work facing, and using No. 12 Needles, knit up 172 [B—172] stitches round armhole.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row eight times. Cast off in rib.

Work other Armhole Band in same manner.

**PULLOVER WITH ROUND NECK:**

**THE FRONT.**—Work exactly as given for Front of Pullover with "V" Neck to \*\*\*.

Dec. once at each end of needle in next and every alt. row, until 127 [B—134] sts. remain, then in every 4th row, until 123 [B—130] sts. remain.

**FOR PULLOVER WITH SLEEVES:**

Work 43 rows in pattern without shaping.

**FOR PULLOVER WITHOUT SLEEVES:**

Work 53 rows in pattern without shaping.

In next row.—Work 47 [B—51] sts. in pattern, cast off 29 [B—28] sts., work in pattern to end of row.

Continue on last 47 [B—51] sts., dec. once at neck edge in every alt. row, until 37 [B—41] sts. remain.

Work 3 [B—3] rows without shaping.

Shape for shoulder as given for Pullover with "V" Neck. Join in wool and work on remaining sts. to correspond with other side.

**THE BACK.**—Work as for Pullover with "V" Neck.

**THE SLEEVES.**—Work as for Pullover with "V" Neck.

**THE NECK BAND.**—Using an ⅛ of an inch back stitch seam, sew up shoulder seams.

With right side of work facing, and using set of No. 12 Needles, knit up 130 [B—136] sts. evenly round neck.

**1st round.**—\* K.1, P.1, repeat from \* to end of round. Repeat 1st round eight times. Cast off loosely in rib.

**THE ARMHOLE BANDS.**—Work as for Pullover with "V" Neck.

**TO MAKE UP PULLOVER.**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and an ⅛ of an inch back stitch seam for other seams, sew up side and sleeve seams. Sew in sleeves, placing seam to seam. For Pullover without Sleeves: Sew up side seams. Finally, press all seams.

## Miles (continued from page 7)

**2nd row.**—K.1, "Increase," K.1, P.1, K.2 tog., knit plain to last 5 sts., slip 1, K.1, p.s.s.o., P.1, K.1, "Increase," K.1.

**3rd row.**—(P.1, K.1), twice, purl to last 4 sts., (K.1, P.1), twice.

**4th row.**—K.1, "Increase," P.1, K.1, P.1, knit plain to last 4 sts., P.1, K.1, P.1, "Increase," K.1.

**5th row.**—K.1, (P.1, K.1), twice, purl to last 5 sts., (K.1, P.1), twice, K.1.

**6th row.**—K.1, "Increase," (K.1, P.1), twice, K.2 tog., knit plain to last 7 sts., slip 1, K.1, p.s.s.o., (P.1, K.1), twice, "Increase," K.1.

**7th row.**—(P.1, K.1), three times, purl to last 6 sts., (K.1, P.1), three times.

**8th row.**—K.1, "Increase," (P.1, K.1), twice, P.1, knit plain to last 6 sts., P.1, (K.1, P.1), twice, "Increase," K.1.

**9th row.**—K.1, (P.1, K.1), three times, purl to last 7 sts., (K.1, P.1), three times, K.1.

**10th row.**—K.1, "Increase," (K.1, P.1), three times, K.2 tog., knit plain to last 9 sts., slip 1, K.1, p.s.s.o., (P.1, K.1), three times, "Increase," K.1.

Continue inc. in this manner at side edge, five times, whilst at same time dec. (inside of ribbing) in every following 4th row, twice.

Proceed as follows:—

**1st row.**—K.1, "Increase," (P.1, K.1), six times, purl to last 13 sts., (K.1, P.1), six times, "Increase," K.1.

**2nd row.**—K.1, "Increase," (P.1, K.1), six times, P.1, K.2 tog., knit plain to last 16 sts., slip 1, K.1, p.s.s.o., P.1, (K.1, P.1), six times, "Increase," K.1.

Continue dec. (inside of ribbing) in every 4th row, until 118 [B—126] [C—134] sts. remain.

Work 3 rows without shaping.

Cast off 2 sts. at beg. of next 16 rows, whilst at same time dec. (inside ribbing) in next and every 4th row, three times. (78 [B—86] [C—94] sts.)

Dec. once at each end of needle in next and every alt. row, until 50 [B—58] [C—68] sts. remain.

[Size C only.—Work 1 row. In next row.—K.2 tog., (K.12, K.2 tog., K.10, K.2 tog.), twice, K.12, slip 1, K.1, p.s.s.o.] Proceed as follows:—

**1st row.**—P.10, cast off 30 [B—38] [C—42] sts., P.10. Continue on last 10 sts., dec. once at each end of needle in next and every alt. row, until 4 sts. remain.

**1st row.**—P.4. **2nd row.**—K.1, K.2 tog., K.1.

**3rd row.**—P.3. **4th row.**—Slip 1, K.2 tog., p.s.s.o. Fasten off.

Join in wool at neck edge, and work on remaining sts. to correspond with other side.

**THE SLEEVES.**—Using No. 12 Needles, cast on 66 [B—66] [C—70] stitches.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row forty-one times.

Using No. 9 Needles, proceed as follows:—

**1st row.**—Knit plain. **2nd row.**—Purl.

Continue in plain smooth fabric, inc. once at each end of needle in 7th and every 8th row, until there are 100 [B—100] [C—104] sts. on needle.

Continue without shaping, until side edge measures 20 [B—20½] [C—21] ins. from commencement.

Cast off 2 sts. at beg. of every row, until 52 [B—52] [C—56] sts. remain, then dec. once at each end of needle in every row, until 46 [B—46] [C—50] sts. remain.

Work 10 rows without shaping.

Dec. once at beg. of next 2 rows.

Work 2 rows without shaping.

Repeat last 4 rows once, then dec. once at beg. of every row, until 7 sts. remain. Cast off.

Work another Sleeve in same manner.

**THE NECK BAND.**—Using an  $\frac{1}{8}$  of an inch back stitch seam, sew up shoulder seams. Turn back 2 sts. along each front and slip-stitch in position on wrong side.

With right side of work facing, and using No. 12 Needles, knit up 131 [B—137] [C—141] sts. round neck.

**1st row.**—\* K.1, P.1, repeat from \* to last st., K.1.

**2nd row.**—K.2, \* P.1, K.1, repeat from \* to last st., K.1. Repeat 1st and 2nd rows thirteen times. Cast off in rib.

**TO MAKE UP LUMBER JACKET.**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and an  $\frac{1}{8}$  of an inch back stitch seam for other seams, sew up side and sleeve seams. Sew in sleeves, placing seam to seam. Fold neck band in half and sew in position on wrong side. Sew zipp fastener in position. Finally, press all seams.

## Glenn *(continued from page 8)*

**33rd row.**—P.1, \* P.3, (K.1, P.1), three times, P.3, work a "Back Double Cable" over next 10 sts., repeat from \* to last 13 sts., P.3, (K.1, P.1), three times, P.4.

**34th row.**—Like 2nd row. \*\*\*

Repeat from \*\*\* to \*\*\* three times [B—then from \*\*\* to 14th row].

For Pullover without Sleeves:

Repeat from \*\*\* to \*\*\* twice, then work 26 rows in pattern as given from \*\*\* to \*\*\* [B—three times, then from \*\*\* to 4th row].

Cast off 12 [B—16] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row, four times. (134 [B—148] sts.)

Work 1 row without shaping.

In next row—K.2 tog., work 63 [B—70] sts. in pattern, K.2 tog., turn.

Continue dec. at armhole edge in every alt. row, five times, whilst at same time dec. once at front edge in every 3rd row, three times. (57 [B—64] sts.)

Dec. once at front edge only in 2nd and every 3rd row, until 39 [B—44] sts. remain.

Work 13 [B—15] rows in pattern without shaping.

For Pullover without Sleeves:

Work 19 [B—25] rows in pattern without shaping.

Shape for shoulder as follows:—

**1st row.**—Work to last 13 [B—15] sts., turn.

**2nd row.**—Work to end of row.

**3rd row.**—Work to last 26 [B—30] sts., turn.

**4th row.**—Like 2nd row. Cast off.

Join in wool at neck edge and work to correspond with other side.

**THE BACK.**—Work exactly as given for Front, until underarm is reached.

Cast off 12 [B—16] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row, ten times. (122 [B—136] sts.)

Continue in pattern without shaping, until armholes measure same as Front armholes.

Shape for shoulders as follows:—

**1st and 2nd rows.**—Work to last 13 [B—15] sts., turn.

**3rd and 4th rows.**—Work to last 26 [B—30] sts., turn.

**5th and 6th rows.**—Work to last 39 [B—44] sts., turn.

**7th row.**—Work to end of row. Cast off.

**THE SLEEVES** (both sizes alike).—Using No. 12 Needles, cast on 80 stitches.

**1st row.**—K.3, \* P.2, K.2, repeat from \* to last st., K.1.

**2nd row.**—K.1, \* P.2, K.2, repeat from \* to last 3 sts., P.2, K.1. Repeat 1st and 2nd rows sixteen times.

Using No. 10 Needles, work in pattern as given from \*\* to \*\*\* for Front, inc. once at each end of needle in

9th and every 6th row, until there are 106 sts. on needle, then in every 4th row, until there are 140 sts. on needle.

Continue without shaping, until work measures 20 [B—20½] ins. from commencement.

Cast off 7 sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every following alt. row, until 50 sts. remain. Cast off.

Work another Sleeve in same manner.

**THE NECK BAND.**—Using an  $\frac{1}{8}$  of an inch back stitch seam, sew up right shoulder seam.

With right side of work facing, and using No. 12 Needles, knit up 87 [B—93] sts. along left side of neck, (knitting up last 2 sts. from centre front), 85 [B—91] sts. along right side of neck and 48 [B—50] sts. across back of neck. (220 [B—234] sts.)



## SOME IMPORTANT INFORMATION



Avoid disappointment — buy the wool recommended. Buy wisely — buy enough — the same blend cannot be repeated.

**TENSION** is the number of stitches in width to measure one inch. On this depends the success of the finished article. Before commencing work, always check your tension by knitting a small square, using wool and size of needles given in the recipe. If the correct tension is not obtainable on the needles recommended, use a size finer or coarser, as required.

### ABBREVIATIONS:

K. = Knit plain  
P. = Purl  
sts. = stitches  
ins. = inches  
wl. fwd. = wool forward  
p.s.s.o. = pass slip stitch over

w.o.n. = wool over needle  
w.r.n. = wool round needle  
t.b.l. = through the back of the loop  
tog. = together  
beg. = beginning  
inc. = increase

dec. = decrease  
alt. = alternate  
rep. = repeat  
patt. = pattern  
incl. = inclusive  
Garter Stitch = every row plain

ch. = chain  
tr. = treble  
s.c. = single crochet  
d.c. = double crochet  
l.tr. = long treble (work over hook twice)  
sl. st. = slip stitch  
sp. = space

When the instructions read, "Cast off 2 stitches, K.2" (or similar stitches), the stitch on the right-hand needle, after casting off, is counted as one stitch.

Work 8 rows in rib, decreasing 1 st. at each side of centre 2 sts. in every alternate row. Cast off in rib.

**THE ARMHOLE BANDS.**—Using an  $\frac{1}{8}$  of an inch back stitch seam, sew up left shoulder seam.

With right side of work facing, and using No. 12 Needles, knit up 184 [B—192] sts. evenly round armhole.

**1st row.**—K.1, \* P.2, K.2, repeat from \* to last 3 sts., P.2, K.1.

**2nd row.**—K.1, \* K.2, P.2, repeat from \* to last 3 sts., K.3.

Repeat 1st and 2nd rows three times. Cast off in rib.

**TO MAKE UP PULLOVER.**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing, and an  $\frac{1}{8}$  of an inch back stitch seam for other seams, sew up side and sleeve seams. Sew in sleeves, placing seam to seam.

For Pullover without Sleeves: Sew up side seams. Finally, press all seams.

## Lennox (continued from page 9)

**8th row.**—Cast off 25 [B—27] sts., work to end of row. Work 2 ins. in rib on remaining sts. Cast off in rib.

**THE LEFT FRONT.**—Using No. 10 Needles, cast on 56 [B—60] stitches.

**1st row.**—\* K.1, P.1, repeat from \* to last 2 sts., K.2. Work to correspond with Right Front, working border and shapings at opposite ends of needle, and making a buttonhole in 5th row from commencement, every following 12th row three times, then every following 18th row, until 8 buttonholes have been worked from commencement.

To make a buttonhole: Work to last 6 sts., K.2 tog., w1. fwd., K.1, P.1, K.2.

**THE BACK.**—Using No. 10 Needles, cast on 100 [B—108] stitches.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row forty-one times, dec. once at beg. of needle in last row.

Using No. 7 Needles, proceed as follows:—

**\*\* 1st row.**—K.1, \* K.1, P.1, repeat from \* to last 2 sts., K.2.

**2nd row.**—K.1, \* P.1, K.3, repeat from \* to last 2 sts., P.1, K.1.

**3rd row.**—K.2, \* P.3, K.1, repeat from \* to last st., K.1.

**4th row.**—\* K.3, P.1, repeat from \* to last 3 sts., K.3. \*\* Repeat from \*\* to \*\*, until work measures same as Front to underarm.

Cast off 4 [B—6] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row, until 79 [B—83] sts. remain.

Continue without shaping, until armholes measure same as Front armholes.

Shape for shoulders as follows:—

**1st and 2nd rows.**—Work to last 7 [B—9] sts., turn.

**3rd and 4th rows.**—Work to last 14 [B—18] sts., turn.

**5th and 6th rows.**—Work to last 25 [B—27] sts., turn.

**7th row.**—Work to end of row. Cast off.

**THE SLEEVES.**—Using No. 10 Needles, cast on 48 [B—52] stitches.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row thirty-five times, dec. once at beg. of needle in last row.

Using No. 7 Needles, proceed as follows:—

Work as given from \*\* to \*\* for Back, inc. once at each end of needle in 7th and every 6th row, until there are 77 [B—81] sts. on needle.

Continue without shaping, until work measures 20 18

[B—20 $\frac{1}{2}$ ] ins. (or length desired) from commencement. Dec. once at each end of needle in next and every alt. row, until 51 [B—55] sts. remain, then in every row, until 27 [B—31] sts. remain. Cast off.

Work another Sleeve in same manner.

**TO MAKE UP CARDIGAN.**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam throughout, sew up side, shoulder and sleeve seams. Sew in sleeves, placing seam to seam. Join together bands from fronts and sew to back of neck. Sew on buttons to correspond with buttonholes. Finally, press all seams.

## Dallas (continued from page 10)

Dec. once at each end of needle in next and every alt. row, until 114 [B—124] [C—130] sts. remain.

Continue in pattern without shaping, until armholes measure same as Front armholes.

Shape for shoulders as follows:—

**1st and 2nd rows.**—Work to last 9 [B—10] [C—10] sts., turn.

**3rd and 4th rows.**—Work to last 18 [B—20] [C—20] sts., turn.

**5th and 6th rows.**—Work to last 27 [B—30] [C—31] sts., turn.

**7th and 8th rows.**—Work to last 36 [B—40] [C—42] sts., turn.

**9th row.**—Work to end of row. Cast off.

**THE SLEEVES.**—Using No. 12 Needles, cast on 70 [B—84] [C—84] stitches.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row forty-five times, inc. once at each end of needle in last row. (72 [B—86] [C—86] sts.)

Using No. 10 Needles, proceed as follows:—

**1st row.**—K.1, P.2, \* K.2, P.2, "Twist," P.2, K.2, P.4, repeat from \* to last 13 sts., K.2, P.2, "Twist," P.2, K.2, P.2, K.1.

**2nd row.**—K.3, \* (P.2, K.2), twice, P.2, K.4, repeat from \* to last 13 sts., (P.2, K.2), twice, P.2, K.3.

Keeping continuity of pattern, inc. once at each end of needle in 7th and every 8th row, until there are 108 [B—114] [C—118] sts. on needle.

Continue in pattern without shaping, until work measures 19 $\frac{1}{2}$  [B—20 $\frac{1}{2}$ ] [C—20 $\frac{1}{2}$ ] ins. from commencement.

Dec. once at each end of needle in next and every alt. row, until 50 [B—56] [C—58] sts. remain, then in every row, until 26 [B—30] [C—32] sts. remain.

Cast off. Work another Sleeve in same manner.

**THE NECK BAND.**—Using an  $\frac{1}{8}$  of an inch back stitch seam, sew up right shoulder seam.

With right side of work facing, and using No. 12 Needles, knit up 81 [B—85] [C—89] sts. along left side of neck (knitting up last st. from centre front, 80 [B—84] [C—88] sts. along right side of neck and 41 [B—43] [C—45] sts. across back of neck. (202 [B—212] [C—222] sts.)

Work 9 rows in rib, dec. 1 st. at each side of centre point of "V" neck in next and every alt. row. Cast off in rib.

**THE ARMHOLE BANDS.**—Using an  $\frac{1}{8}$  of an inch back stitch seam, sew up left shoulder seam.

With right side of work facing, and using No. 12 Needles, knit up 180 [B—190] [C—200] sts. round armhole.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row eight times. Cast off in rib.

Work other Armhole Band in same manner.



**TO MAKE UP PULLOVER.**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and an  $\frac{1}{8}$  of an inch back stitch seam for other seams, sew up left shoulder, side and sleeve seams. Sew in sleeves, placing seam to seam. Finally, press all seams. For Pullover without Sleeves: Sew up side seams.

## Robb *(continued from page 12)*

**28th row.**—P.2 tog. N., 2N., 1Y., 1N., 1Y., 3N., 5Y., 3N.; work pattern as 16th row of chart; 2N., 4Y.

**29th row.**—4Y., 2R.; work pattern as 17th row of chart; 1Y., 2R., 4Y., 3R., 1Y., 1R., 1Y., 1R., 1Y., 2R.

**30th row.**—P.2 tog. W., 1R., 1W., 1R., 1W., 1R., 1W., 3R., 3W., 1R., 2W.; work pattern as 18th row of chart; 1W., 1R., 3W., 1R.

**31st row.**—3W., 1E., 2W.; work pattern as 19th row of chart; 3W., 1E., 5W., 1E., 1W., 3E., 1W., 1E.

**32nd row.**—P.2 tog. E., 4E., 1S., 1E., 3S., 1E., 3S., 1E.; work pattern as 20th row of chart; 3S., 1E., 2S. (45 sts.)

**33rd row.**—1S., 1E., 3S., 1E.; work pattern as 21st row of chart; 2E., 3S., 1E., 1S., 1E., 2S., 2E., 1S., 2E.

**34th row.**—P.2 tog. Y., 2Y., 1E., 3Y., 1E., 3Y., 2E., 1Y.; work pattern as 22nd row of chart; 2E., 3Y., 1E.

**35th row.**—K. in Y.

**36th row.**—P.2 tog. B., \* 3Y., 1B.; repeat from \* to last 2 sts., 2Y.

**37th row.**—\* 1Y., 3B.; repeat from \* to last 3 sts., 1Y., 2B. **38th row.**—P.2 tog. B., P. in B. to end.

**39th row.**—2B., \* 1N., 3B.; repeat from \* to end.

**40th row.**—P.2 tog. B., \* 3N., 1B.; repeat from \* to end

**41st row.**—K. in N.

**42nd row.**—P.2 tog. N., \* 1M., 3N.; repeat from \* to last 3 sts., 1M., 2N.

**43rd row.**—\* 1N., 3M.; repeat from \* to end. (40 sts.)

**44th row.**—P.2 tog. M., P. to end in M.

**45th row.**—K. in M.

**46th row.**—P.2 tog. M., P. to end in M.

**47th row.**—2M., \* 1E., 3M.; repeat from \* to end.

**48th row.**—P.2 tog. M., 3E., 2M., 1E.; work pattern as 36th row of chart; 2M., 3E., 1M.

**49th row.**—2M., 1E., 2M., 1E.; work pattern as 37th row of chart; 1M., 1E., 2M., 1E., 2M.

**50th row.**—P.2 tog. M., 2M., 1E., 2M.; work pattern as 38th row of chart; 1M., 1E., 3M., 1E.

**51st row.**—1M., 1E., 1M., 1E., 2M.; work pattern as 39th row of chart; 1E., 2M., 1E., 1M., 1E.

**52nd row.**—P.2 tog. E., 2M., 2E.; work pattern as 40th row of chart; 1E., 2M., 1E., 2M. (35 sts.)

**53rd row.**—2M., \* 1E., 3M.; repeat from \* to last st., 1E.

**54th row.**—P.2 tog. M., P. to end in M.

**55th row.**—K. in M.

**56th row.**—P.2 tog. M., P. to end in M.

**57th row.**—\* 1N., 3M.; repeat from \* to last st., 1N.

**58th row.**—P.2 tog. N., \* 1M., 3N.; repeat from \* to last 3 sts., 1M., 2N. **59th row.**—K. in N.

**60th row.**—P.2 tog. N., 1N., \* 1B., 3N.; repeat from \* to last st., 1B.

**61st row.**—2B., \* 1N., 3B.; repeat from \* to last st., 1N.

**62nd row.**—P.2 tog. B., P. to end in B. (30 sts.)

**63rd row.**—\* 1Y., 3B.; repeat from \* to last 2 sts., 1Y., 1B.

**64th row.**—Work pattern as 8th row of chart; 3Y., 1B., 2Y. **65th row.**—K. in Y.

**66th row.**—Work pattern as 10th row of chart; 2E., 3Y., 1E.

Shape shoulder by casting off 10 sts. at beg. of next and following 2 alt. rows (armhole edge).

Join wool to remaining 55 sts., K.53, K.2 tog. N.

Continue as for first shoulder from 16th row, reading rows backwards and starting shoulder shaping at beg. of 68th row.

**THE BACK.**—Work exactly as for Front, until armhole shaping has been completed. (109 sts.)

Continue in pattern to end of 10th row of 4th pattern. Shape shoulders by casting off 10 sts. at beg. of next 6 rows. Cast off.

**THE NECK BAND.**—Using an  $\frac{1}{8}$  of an inch back stitch seam, sew up right shoulder seam.

With right side of work facing, and using No. 12 Needles, knit up 65 sts. along left side of neck (knitting up last st. from centre front), 64 sts. along right side of neck, and 46 sts. across back of neck. (175 sts.)

**1st row.**—K.2, (P.1, K.1), fifty-six times, P.1, (K.1, P.1), thirty-two times.

Work 10 rows in rib, dec. 1 st. at each side of centre point of "V" neck in next and every alt. row. Cast off in rib.

**THE ARMHOLE BANDS.**—Using an  $\frac{1}{8}$  of an inch back stitch seam, sew up left shoulder seam.

With right side of work facing, and using No. 12 Needles, knit up 146 sts. evenly round armhole.

**1st row.**—K.2, \* P.1, K.1, repeat from \* to end of row. Repeat 1st row ten times. Cast off in rib.

Work other Armhole Band in same manner.

**TO MAKE UP PULLOVER.**—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and an  $\frac{1}{8}$  of an inch back stitch seam for other seams, sew up side seams. Finally, press all seams.



Wholly Set up and Printed in Australia

Published With All Rights Reserved by

Trade Marks Registered in Australia

**PATONS & BALDWIN'S**  
(AUSTRALIA) LIMITED

Registered Office: 84-94 Flinders Lane, MELBOURNE C1

SYDNEY BRANCH: 181 Clarence Street






# Patons

KNITTING BOOK  
NO. 338

1/6d.

"RITCHIE"—See page 13



P&B  
WOOLS